# Chapter Five Ionic & Covalent Compounds



# **Types of Compounds**

**Compound**: 2 or more elements chemically combined

### lonic:

- Cation + Anion
- Form from transfer of electrons
- Often metal + nonmetal
  - Elements that are very "different"
  - Opposite sides of Periodic Table
- Ex. NaCl (sodium chloride)
- Contain specific ratios of ions but no specific number of ions

### **Covalent:**

- Form by sharing electrons
- Contain atoms, not ions
- Often nonmetal + nonmetal
  - Elements that are "similar"
  - Same side of Periodic Table
  - Hydrogen is a nonmetal
- Ex. CO<sub>2</sub> (carbon dioxide)
- <u>Molecules</u> contain specific numbers of atoms.

### **Law of Definite Proportions**

#### A compound will always have same chemical composition

• Each product is formed from definite proportions of reactants



• Same mass proportions & atomic ratios of elements present

# Law of Multiple Proportions

If the same two elements can combine to form more than one compound:

• The masses of one element combine with a fixed mass of the second element.

• The combination is in a ratio of **small whole numbers**.

Open face sandwich 1 bread + 1 filling 1:1 ratio

Regular sandwich 2 bread + 1 filling 2:1 ratio





Carbon monoxide





Compounds are formed when atoms of different elements unite in fixed proportions

# **Chemical Formulas**

Represent chemical composition (atomic ratios)

- Empirical: Ratio of atoms (NH<sub>2</sub> instead of N<sub>2</sub>H<sub>4</sub>)
   Can use for ionic or covalent compounds
- Molecular: Actual # of atoms (N<sub>2</sub>H<sub>4</sub>)
   Only use for covalent compounds. Molecule = covalent
- Structural: Shows how atoms are connected in molecules

	Hydrogen	Water	Ammonia	Methane	
Molecular formula	$H_2$	$H_2O$	NH <sub>3</sub>	$CH_4$	
Structural formula	н—н	н-о-н	H—N—H I H	$\begin{array}{c} \mathbf{H} \\ \mathbf{H} - \mathbf{C} - \mathbf{H} \\ \mathbf{H} \\ \mathbf{H} \end{array}$	
Ball-and-stick model	0-0			080	

# **Lewis Dot Symbols**

Consists of atomic symbol surrounded by 1 dot for each valence electron in the atom

> Only used for main group elements # valence electrons = group number

1A

۰н	2 2A											13 3A	14 4A	15 5A	16 6A	17 7A	He:
۰Li	•Be •											• <b>B</b> •	٠ċ٠	·N·	·ö·	÷Ë•	:Ne:
۰Na	•Mg•	3 3B	4 4B	5 5B	6 6B	7 7B	8	9 	10	11 1B	12 2B	· Åı ·	· și ·	·P·	·s·	:ä·	:Är:
٠к	۰Ca・											٠Ġa٠	·Ge·	·As·	·Se·	:Br•	:Ķr:
• Rb	• Sr •											· In ·	• Sn •	·Sb·	·Ťe·	:ï·	:xe:
۰Cs	•Ba•											٠ ti ·	• Pb •	· Bi ·	· Po·	: Ăţ •	:Rn:
• Fr	۰Ra・																

18

8A

## **Drawing Lewis Dot Symbols**



S

Cl



# Formulas & Names of Ionic Compounds



# Sodium chloride

# **Ionic Bonding**

Electrons are transferred from one atom to another forming charged atoms called **ions** 



- Metal atoms: Lose electrons to form positive cations
- Nonmetal atoms: Gain electrons to form negative anions

Electrostatic force (+ & - attraction) bonds ions into an ionic compound (ionic bond)

- Form an ionic salt with repeating structure: NaCl, LiF
- Ionic Bonds follow the octet rule
- Atoms lose or gain valence e- to make an octet (8e-)
- 8 valence e- = Noble gas configuration



$$1s^{2}2s^{1} \rightarrow 1s^{2}$$
$$1s^{2}2s^{2}2p^{5} \rightarrow 1s^{2}2s^{2}2p^{6}$$

# Ionic Compounds (salts)

### Cations & Anions bind together to form crystals

The net charge on the compound is 0

- Positive & negative charges are balanced: number of positive charges = number of negative charges
- Not always a 1:1 ratio of ions depends on charge

### Large network of ions

- Not distinct individual units
- Positive charge of cation attracts all nearby anions
- Negative charge of anion attracts all nearby cations
- Energy required to convert an ionic solid into ions in the gas phase is known as lattice energy



## Using the Periodic Table to Predict Ionic Charge (Main Group Elements Only)





## Goal: Get 8 valence electrons ("full")

- electrons in "outermost" energy level
- "A" column number tells number of valence electrons
- Noble gases (column 8A/18) already have 8 generally no charge
- Can gain or lose electrons to get 8 generally do what is easier
- Electrons are negative  $\rightarrow$  gain electrons = negative charge!

The correct charge is <u>usually</u> the smallest number

- Left Side (metals):  $K^{1+}$  or  $K^{-7}$  Mg<sup>2+</sup> or Mg<sup>6-</sup>
- Right Side (nonmetals):  $O^{6+}$  or  $O^{2-}$   $F^{7+}$ , or  $F^{1-}$

## Ionic Bonding: Ca & Cl

## Charges on Transition & Other Multi-charge Metals<sup>13</sup>



Become cations

- Charge is unpredictable
- Often have more than one charge (also possible for some main group elements)
  - Designated with a Roman Numeral
  - Iron (III) =  $Fe^{3+}$ ; Iron (II) =  $Fe^{2+}$
  - Roman numerals required in names of ionic compounds if cation can have more than one charge
    - Iron (III) oxide
    - Copper (II) chloride

# **Polyatomic lons**

Charged molecules
Lose or gain electrons as a group
Charge is spread over 2 or more atoms

Memorize the following polyatomic ions!

Ammonium	$NH_4^+$	Hydronium	$H_3O^+$
Phosphate	PO <sub>4</sub> <sup>3-</sup>	Acetate	CH <sub>3</sub> COO <sup>-</sup>
Hydroxide	OH-	Nitrate	$NO_3^-$
Cyanide	CN⁻	Sulfate	SO <sub>4</sub> <sup>2-</sup>
Permanganate	MnO <sub>4</sub> -	Chlorate	CIO <sub>3</sub> -
Carbonate	CO <sub>3</sub> <sup>2-</sup>	Perchlorate	CIO <sub>4</sub> -

Formula of an Ionic Compound must give an overall charge of zero!

- Al & O
- Ca & Br
- Na & CO<sub>3</sub>
- Ca & NO<sub>3</sub>

Pb<sup>4+</sup> & O

# Names of lons and lonic Compounds<sup>16</sup> Naming lons:

- For cations: add the word ION after element name
- Na = sodium
  - In col 1, so loses 1 e<sup>-</sup>
  - Na+ =

- Al = aluminum
  - In col 13, so loses 3 e<sup>-</sup>
  - A|<sup>3+</sup> =

For anions: change the element name ending to -ide first

- Cl = chlorine
  - In col 17, so gains 1e<sup>-</sup>
  - Cl<sup>-</sup> =

- O = oxygen
  - In col 16, so gains 2 e<sup>-</sup>
  - O<sup>2<sup>-</sup></sup> =

#### Naming Ionic Compounds (ie salts):

- Write the name of the cation followed by the name of the anion.
- If the cation can have more than one charge, include a Roman Numeral representing the charge after the name of the cation.

#### Na & Cl

```
Net Charge: (+1) + (-1) = 0
Chemical Formula is NaCl
```

Na = sodium Cl = chloride Name = Sodium chloride

#### Al & O

Net Charge: 2(+3) + 3(-2) = 0Chemical Formula is  $Al_2O_3$ 

AI = aluminum

O = oxide

Name = Aluminum oxide

#### **Fe & S** Fe = iron -> 2 possible charges, +2 & +3 S = Sulfide -> charge is -2

If Iron is +2 Net Charge: (+2)+(-2) = 0 Chemical Formula is FeS Name = Iron (II) sulfide If Iron is +3 Net Charge: 2(+3)+3(-2) = 0Chemical Formula is  $Fe_2S_3$ Name = Iron (III) sulfide

## Naming Ionic Compounds

1.) K<sub>2</sub>O
2.) CaF<sub>2</sub>
3.) KF
4.) Ca(NO<sub>3</sub>)<sub>2</sub>
5.) K<sub>3</sub>PO<sub>4</sub>

If the formula contains a cation that can have more than one charge, you need to determine the charge based on the anion & include it as a Roman Numeral.

6.) PbCl<sub>2</sub>

## 7.) Fe<sub>2</sub>O<sub>3</sub>

# Formulas & Names of Covalent Compounds



## **CO<sub>2</sub> = Carbon Dioxide**

# **Covalent Bonding**

Electrons are shared between atoms, forming a covalent bond

- Elements are similar so they are not able to fully pull electrons away from each other
- Atoms remain uncharged, but "gain" additional valence electrons to have an octet
- Number of shared electrons can vary depending on the number needed for each atom to gain an octet

Often results in formation of individual units called molecules

$$H^{\bullet} + \bullet CI^{\bullet} \longrightarrow H \bullet CI^{\bullet} = Molecule of HCI$$

 Sometimes large networks similar to ionic crystals can be formed – diamonds are one example

# **Molecular Compounds**

## Molecules contain specific numbers of atoms

- The number and type of each atom is shown in the molecular formula
- Diatomic molecules 2 atoms
  - Homonuclear same element not a compound (just an element)
  - Heteronuclear different elements a compound

• Polyatomic molecules - more than 2 atoms





Names of Binary <u>Molecules</u> (2 Elements, Covalent)<sup>22</sup>

Names and formulas have 2 parts, 1 for each element:

Dinitrogen tetroxide ------ N<sub>2</sub>O<sub>4</sub>

1<sup>st</sup> word is 1<sup>st</sup> element name ----- N = Nitrogen

 $2^{nd}$  word is  $2^{nd}$  element name  $\rightarrow$  change ending to "-ide" ------ O = Oxygen  $\rightarrow$  Oxide

Formula: Subscripts = # of atoms -----  $N_2O_4$ 

Name: Prefix = # of atoms ------ <u>Dinitrogen tetr</u>oxide

# Do not include a prefix for the <u>first element</u> if there is only one atom

Ex:  $CO_2 = Carbon dioxide$  (not monocarbon dioxide) CO = Carbon monoxide

#### **Need to know prefixes up to 10**

TABLE 5.5	Greek Prefixes		
Prefix	Meaning	Prefix	Meaning
Mono-	1	Hexa-	6
Di-	2	Hepta-	7
Tri-	3	Octa-	8
Tetra-	4	Nona-	9
Penta-	5	Deca-	10

Note that the o or a at the end of the prefix is often dropped when the element begins with a vowel.

- Monoxide, not monooxide
  - Tetroxide, not tetraoxide

## **Names & Formulas of Binary Molecules**

1.) N<sub>2</sub>O

2.) SCl<sub>3</sub>

3.) P<sub>2</sub>O<sub>5</sub>

4.) nitrogen dioxide

5.) dinitrogen tetrasulfide

# **Acids and Bases**

#### <u>Acid</u>

- Arrhenius: Compound ionizes in H<sub>2</sub>O to form H<sup>+</sup> & anions
  - Name by changing anion -ide ending to -ic acid
  - Add hydro to acids with HX formula (X=halogen; col.17)
     ex: HCI = <u>Hydro</u>chloric acid
- Bronsted acids:  $H^+$  grabs  $H_2O$  to form  $H_3O^+$  in water

#### <u>Base</u>

- Arrhenius: Compound ionizes in H<sub>2</sub>O to form OH<sup>-</sup> & cations
  - Name as salts: All hydroxide salts are considered bases
- Bronsted base: Pulls H+ from H<sub>2</sub>O so NH<sub>3</sub> is a base: H<sub>2</sub>O + NH<sub>3</sub>  $\Rightarrow$  OH<sup>-</sup> + NH<sub>4</sub><sup>+</sup>  $\Rightarrow$  NH<sub>4</sub>OH

#### <u>Neutralization</u>

Reaction between acid & base – form water & a salt
 H<sup>+</sup> + OH<sup>-</sup> ⇒ H<sub>2</sub>O and cation + anion ⇒ salt
 HCI + NaOH ⇒ H<sub>2</sub>O + NaCI (aq)

## **Common acids and bases** Be able to recognize & associate formula with name

#### Acids

Hydrochloric Acid:HClSulfuric Acid: $H_2SO_4$ Chloric Acid:HClO3Perchloric acid:HClO4

Carbonic Acid: Nitric Acid: Phosphoric Acid: Acetic Acid:  $H_2CO_3$  $HNO_3$  $H_3PO_4$  $CH_3COOH$ 

#### Bases

Sodium hydroxide: NaOH Potassium hydroxide: KOH Ammonium hydroxide: NH<sub>4</sub>OH (actually ammonia, NH<sub>3</sub> in H<sub>2</sub>O) Lithium hydroxide: LiOH

## Naming Oxoacids and their Anions: <u>Reference Only</u>



# Molar Mass & Mass Percent Calculations



#### SO<sub>2</sub>: 64.0648g/mol

49.9476% oxygen 50.0524% sulfur

## **Molar Mass** The mass of one mole of a substance

Units of g/mol

## To calculate for a compound:

- Find atomic mass of each element  $\rightarrow$  located on Periodic table (often below symbol)
- Multiply atomic mass of element by subscript, then add all elements together.

= 22.99 g/mol

= 64.07 g/mol

- Molecular mass: mass of molecule  $\rightarrow$  include every atom
- Formula mass: mass of ions in a salt  $\rightarrow$  use smallest ratio

## Examples:

- 1 mol Na
- $1 \text{ mol } SO_2$
- 1 mole NaCl = 58.44 g/mol

NaCI - ionic compound





29

## **Calculating Molar Mass**

1.) NaCl

2.) SO<sub>2</sub>

3.)  $Pb(NO_3)_2$ 

## Mole-based Calculations (Mass/Mole/Particle Conversions) Molar Mass (*M*): grams/mol – from Periodic Table! Avogadro's Number N<sub>a</sub>: 6.022x10<sup>23</sup> particles/mol



#### Same as for elements, but with molar mass of **compounds**

#### # moles $\rightarrow$ mass What is the mass, in grams, of 0.557 mol K<sub>2</sub>O? (52.5 g)

mass  $\rightarrow$  # moles How many moles are there in 25.64 g of K<sub>2</sub>O? (0.2722 mol) # moles  $\rightarrow$  # particles How many molecules are in 2.6 moles of CO<sub>2</sub>? (1.6 x 10<sup>24</sup> molecules)

# moles  $\rightarrow$  # particles How many oxygen atoms are in 4.57 moles of SO<sub>3</sub>? (8.26x10<sup>24</sup> atoms O)

# moles  $\rightarrow$  # particles How many ions are in 2.6 moles of NaCl? (3.1 x 10<sup>24</sup> ions; 1.6x10<sup>24</sup> Na<sup>+</sup> ions & 1.6x10<sup>24</sup> Cl<sup>-</sup> ions)

# **Combined**!

#### How many atoms are there in 2.578 g of SO<sub>2</sub> (MM = 64.065 g/mol)? Mass $\rightarrow$ Moles $\rightarrow$ Molecules $\rightarrow$ Atoms

A: 7.270 x 10<sup>22</sup> atoms

#### Percent Composition of Compounds by Mass (Mass % Compostion)

- General idea for percentages is "part / total"
- For mass %: mass of each element in the compound divided by the total mass of the compound
- Units should be the same for both values (usually g)

## **To Determine the Mass % of a Compound:**

- Assume 1 mole of compound.
  This will make subscripts = # moles of each element
- Calculate molar mass of compound.
- Calculate mass of each element based on subscripts.
- For each element, divide mass by molar mass of compound

#### **Mass % Compostion**



3 pieces Pepperoni (Pe) – 10. g per piece 2 pieces Cheese (Ch) – 9.0 g per piece 5 pieces Veggie (Ve) – 12 g per piece

 $Pe_3Ch_2Ve_5$ 

Total: 10 slices, 108 g

Percent by slice:

Pe: (3/10)\*100 = 30% Ch: (2/10)\*100 = 20% Ve: (5/10)\*100 = 50% Percent by mass:

Pe: (30./108)\*100 = 27% Ch: (18/108)\*100 = 17% Ve: (60./108)\*100 = 56%



Step 2: Divide each elemental mass by the molar mass of  $Ca(CIO_2)_2$  (Total should equal approximately 100%)



#### **Molecular Formula from Mass % Composition**

What is the molecular formula for a compound with a mass composition of 2.2% H, 26.7% C, and 71.1% O, and a molar mass of 135.053g/mol?

Follow steps to get empirical formula: From previous slide: HCO<sub>2</sub>

Calculate formula mass from empirical formula:

Divide molar mass by formula mass:

Multiply subscripts by value from previous step: